

SAFELINE
We illuminate your future

WALL LAMP



MODEL:SL-MB3-30W

30W




OVERVIEW




THERMAL MANAGEMENT


Structure is optimized by advanced FEA technology. Achieving longer lifespan at best cost-efficiency.




Thermal Air Convection



Thermal Effects to Air




Thermal Conductivity



Unit: °C



EXPLODED



LUMINAIRE PHOTOMETRIC TEST REPORT

MODEL: SL-MB3-30W TYPE: 3000K

DATA OF LAMP		PHOTOMETRIC DATA			
		Eff:76.07 lm/W			
MODEL	SL-MB3-30W	Imax(cd/klm)	5197	S/MH(C0/180)	1.31
NOMINAL POWER(W)	30	LOR(%)	1793.5	S/MH(C90/270)	1.31
RATED VOLTAGE(V)	220.0	TOTAL FLUX(lm/klm)	17935	η UP,DN(C0-180)	26.3,850.9
NOMINAL FLUX(lm)	/	CIE CLASS	DIRECT	η UP,DN(C180-360)	30.9,885.4
LAMPS INSIDE	1	η up(%)	57.2	CIBSE SHR NOM	1.5
TEST VOLTAGE(V)	220.0	η down(%)	1736.3	CIBSE SHR MAX	1.5



C angle range:-0 - 360DEG
C angle interval: 10.0DEG
Test Speed: HIGH
Temperature:25.3℃

V angle range:-0 - 120DEG
V angle interval: 5.0DEG
Test System:EVERFINE GO-2000A_V1 SYSTEM V2.00.471
Humidity:65.0%
Test Distance:8.431m [K=1.0000]

SPECIFICATIONS



30W

PARAMETERS	
Model	SL-MB3-30W
Lamp Power	30W
Diameter	105*110*110mm
Material	IRON+PC
Body Color	Black+White
Beam Angle	124.0°
Light Source	Sanan
Luminous Efficacy	76.07lm/W
CRI	Ra≥70
CCT Options	3000K/4000K/6500K/3CCT
Driver Type	DOB PASS CB
Input Voltage	AC100-265V
PF	≥0.5
Frequency	50/60Hz
IP	Ip65
Life Time	20000H
Warranty	3-Year


PACKING DETAILS

Lamp Power	PCS/CTN	Packing Size(CM)	CBM	40HQ/PCS
30W	20	52.5*36*30CM	0.05	1199

PACKAGINS





Installation Type





1. Drill holes on a flat wall surface

2. First, connect the wires, and then insert screws into the screw holes on both ends of the wall lamp to fix it



3. Press ① and ② onto the lamp body in sequence, and when you hear a "click", the installation is complete

DIAGRAMS





FEATURES

- 1.AC100-265V
- 2.LED chip :OSRAM CHIP/Sanan **OSRAM** 
- 3.Driver: DOB
- 4.Waterproof rating:IP65
- 5.Export certificate is available
- 6.Iron lamp body



REACH IECEE

CAUTIONS:

1. Installation shall be performed by qualified electricians.
2. Do not disassemble this product, risk of hazard.
3. Do not look directly at the illuminated light source; eye injury may occur.

WARRANTY:

- 1.The manufacturer guarantees the Wall lamp to be free from material and workmanship defects for a period of 3 years
2. Warranty becomes void if the product is modified, improperly installed or used, damaged by accident or neglect, or if any parts are improperly installed or replaced by the user.
3. Within the warranty period, if the product fails at normal environment and we will repair or replace the unit free of charge at our discretion

